




REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
-		8/9/2023	

----- COMPONENTS LIST -----

ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless Corrugated Hose	Stainless Steel	0.41
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.03
3	2	BRAID COLLAR	0.05" Thick	Stainless Steel	0.09
4	1	2" MALE	2" Male, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	1.18
5	1	2" FEMALE	2" Female, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	0.83



HOSE MASTER

1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Cleveland • Houston • Atlanta • Reno

ISO 9001
Registered Quality System



REFERENCE: Fire-Shield - 2" Male x 2" Female x 12" OAL

DATE: 9/6/2023

DESCRIPTION:
2" ID x 12" OAL 300 Series Stainless Corrugated Hose covered by 300 Series
Stainless Braid. UL Approved 2" Male Connector x 2" Female Connector

PROJECTION:




DRAWING #

FSMF0200x12

REV.

**SHEET
1 OF 1**



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
-		8/9/2023	

----- COMPONENTS LIST -----

ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless Corrugated Hose	Stainless Steel	0.58
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.05
3	2	BRAID COLLAR	0.05" Thick	Stainless Steel	0.09
4	1	2" MALE	2" Male, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	1.18
5	1	2" FEMALE	2" Female, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	0.83



HOSE MASTER

1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Cleveland • Houston • Atlanta • Reno

ISO 9001
Registered Quality System




REFERENCE: Fire-Shield - 2" Male x 2" Female x 15" OAL

DATE: 9/6/2023

DESCRIPTION:
2" ID x 15" OAL 300 Series Stainless Corrugated Hose covered by 300 Series Stainless Braid. UL Approved 2" Male Connector x 2" Female Connector

PROJECTION:




DRAWING #

FSMF0200x15

REV.

SHEET
1 OF 1



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
-		8/9/2023	

----- COMPONENTS LIST -----

ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless Corrugated Hose	Stainless Steel	0.75
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.06
3	2	BRAID COLLAR	0.05" Thick	Stainless Steel	0.09
4	1	2" MALE	2" Male, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	1.18
5	1	2" FEMALE	2" Female, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	0.83



HOSE MASTER

1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Cleveland • Houston • Atlanta • Reno

ISO 9001
Registered Quality System



REFERENCE: Fire-Shield - 2" Male x 2" Female x 18" OAL

DATE: 9/6/2023

DESCRIPTION:
2" ID x 18" OAL 300 Series Stainless Corrugated Hose covered by 300 Series Stainless Braid. UL Approved 2" Male Connector x 2" Female Connector

PROJECTION:




DRAWING #

FSMF0200x18

REV.

**SHEET
1 OF 1**



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
-		8/9/2023	

----- COMPONENTS LIST -----

ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless Corrugated Hose	Stainless Steel	1.10
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.09
3	2	BRAID COLLAR	0.05" Thick	Stainless Steel	0.09
4	1	2" MALE	2" Male, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	1.18
5	1	2" FEMALE	2" Female, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	0.83



HOSE MASTER

1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Cleveland • Houston • Atlanta • Reno

ISO 9001
Registered Quality System



REFERENCE: Fire-Shield - 2" Male x 2" Female x 24" OAL

DATE: 9/6/2023

DESCRIPTION:
2" ID x 24" OAL 300 Series Stainless Corrugated Hose covered by 300 Series
Stainless Braid. UL Approved 2" Male Connector x 2" Female Connector

PROJECTION:




DRAWING #

FSMF0200x24

REV.

SHEET
1 OF 1



REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED
-		8/9/2023	

----- COMPONENTS LIST -----

ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless Corrugated Hose	Stainless Steel	1.44
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.12
3	2	BRAID COLLAR	0.05" Thick	Stainless Steel	0.09
4	1	2" MALE	2" Male, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	1.18
5	1	2" FEMALE	2" Female, 2"x11-1/2" Thread, 2.38" Hex	Stainless Steel	0.83



HOSE MASTER

1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Cleveland • Houston • Atlanta • Reno

ISO 9001

Registered Quality System



REFERENCE: Fire-Shield - 2" Male x 2" Female x 30" OAL

DATE: 9/6/2023

DESCRIPTION:
2" ID x 30" OAL 300 Series Stainless Corrugated Hose covered by 300 Series Stainless Braid. UL Approved 2" Male Connector x 2" Female Connector

PROJECTION:



DRAWING #

FSMF0200x30

REV.

**SHEET
1 OF 1**