

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED





ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless HYDROFORMED Corrugated Hose	Stainless Steel	0.49
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.03
3	2	BRAID COLLAR	0.06" Thick	Stainless Steel	0.22
4	1	3" UNION	3" Union, 3"x8" Thread, 5.75" Hex	Carbon Steel	10.25
5	1	3" MALE	3" Male, 3"x8" Thread, 4" Hex	Carbon Steel	2.73

HOSE MASTER Inc.
1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Locations: ***Cleveland • Houston***
Registered to: ISO 9001 : 2000
NAHAD Listed Manufacturer

Projection:

Customer: Hose Master Inc.

Prepared By: **kannk**

Reference: Fire-Shield - 3" Male x 3" Union x 12" OAL

CALC. WEIGHT: **14 lbs.**

Date: **9/24/2009**


Description: **3" ID x 12" OAL 300 Series Stainless HYDROFORMED Corrugated Hose covered by 300 Series Stainless Braid. UL Approved 3" Male Connector x 3" Union Connector**


Drawing #: **FSMU0300x12**

Rev.: **-**

SHEET 1 OF 1

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED





ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless HYDROFORMED Corrugated Hose	Stainless Steel	0.81
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.05
3	2	BRAID COLLAR	0.06" Thick	Stainless Steel	0.22
4	1	3" UNION	3" Union, 3"x8" Thread, 5.75" Hex	Carbon Steel	10.25
5	1	3" MALE	3" Male, 3"x8" Thread, 4" Hex	Carbon Steel	2.73

HOSE MASTER Inc.
1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Locations: **Cleveland • Houston**

Registered to: ISO 9001 : 2000

NAHAD Metal Hose Listed Manufacturer

Projection:

Customer: Hose Master Inc.

Prepared By: **kannk**

Reference: Fire-Shield - 3" Male x 3" Union x 15" OAL

CALC. WEIGHT: **14 lbs.**

Date: **9/24/2009**


Description: **3" ID x 15" OAL 300 Series Stainless HYDROFORMED Corrugated Hose covered by 300 Series Stainless Braid. UL Approved 3" Male Connector x 3" Union Connector**


Draw ing #: **FSMU0300x15**

Rev.: **-**

SHEET 1 OF 1

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED





ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless HYDROFORMED Corrugated Hose	Stainless Steel	1.12
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.08
3	2	BRAID COLLAR	0.06" Thick	Stainless Steel	0.22
4	1	3" UNION	3" Union, 3"x8" Thread, 5.75" Hex	Carbon Steel	10.25
5	1	3" MALE	3" Male, 3"x8" Thread, 4" Hex	Carbon Steel	2.73

HOSE MASTER Inc.
1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Locations: **Cleveland • Houston**

Registered to: ISO 9001 : 2000

NAHAD Metal Hose Listed Manufacturer

Projection:

Customer: Hose Master Inc.

Prepared By: **kannk**

Reference: Fire-Shield - 3" Male x 3" Union x 18" OAL

CALC. WEIGHT: **15** lbs.

Date: **9/24/2009**


Description: **3" ID x 18" OAL 300 Series Stainless HYDROFORMED Corrugated Hose covered by 300 Series Stainless Braid. UL Approved 3" Male Connector x 3" Union Connector**


Draw ing #: **FSMU0300x18**

Rev.: **-**

SHEET 1 OF 1

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED





ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless HYDROFORMED Corrugated Hose	Stainless Steel	1.72
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.12
3	2	BRAID COLLAR	0.06" Thick	Stainless Steel	0.22
4	1	3" UNION	3" Union, 3"x8" Thread, 5.75" Hex	Carbon Steel	10.25
5	1	3" MALE	3" Male, 3"x8" Thread, 4" Hex	Carbon Steel	2.73

HOSE MASTER Inc.
1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Locations: **Cleveland • Houston**

Registered to: ISO 9001 : 2000

NAHAD Metal Hose Listed Manufacturer

Projection:

Customer: Hose Master Inc.

Prepared By: **kannk**

Reference: Fire-Shield - 3" Male x 3" Union x 24" OAL

CALC. WEIGHT: **15 lbs.**

Date: **9/24/2009**


Description: **3" ID x 24" OAL 300 Series Stainless HYDROFORMED Corrugated Hose covered by 300 Series Stainless Braid. UL Approved 3" Male Connector x 3" Union Connector**


Draw ing #: **FSMU0300x24**

Rev.: **-**

SHEET 1 OF 1

REVISIONS			
REV.	DESCRIPTION	DATE	APPROVED





ITEM #	QTY.	PART NUMBER	DESCRIPTION	MATERIAL	WEIGHT
1	1	HOSE	300 Series Stainless HYDROFORMED Corrugated Hose	Stainless Steel	2.36
2	1	BRAID	300 Series Stainless Steel	Stainless Steel	0.16
3	2	BRAID COLLAR	0.06" Thick	Stainless Steel	0.22
4	1	3" UNION	3" Union, 3"x8" Thread, 5.75" Hex	Carbon Steel	10.25
5	1	3" MALE	3" Male, 3"x8" Thread, 4" Hex	Carbon Steel	2.73

HOSE MASTER Inc.
1233 East 222nd Street • Cleveland, Ohio 44117
(800) 221-2319 • Fax: (216) 481-7557 • www.hosemaster.com
Locations: **Cleveland • Houston**
Registered to: ISO 9001 : 2000
NAHAD Metal Hose Listed Manufacturer

Projection:

Customer: Hose Master Inc.

Prepared By: **kannk**

Reference: Fire-Shield - 3" Male x 3" Union x 30" OAL

CALC. WEIGHT: **16 lbs.**

Date: **9/24/2009**

Description: **3" ID x 30" OAL 300 Series Stainless HYDROFORMED Corrugated Hose covered by 300 Series Stainless Braid. UL Approved 3" Male Connector x 3" Union Connector**

Drawing #: **FSMU0300x30**

Rev.: **-**

SHEET 1 OF 1